



Eagle Watch
Homeowners' Association

DESIGN & MAINTENANCE STANDARDS
EAGLE WATCH HOMEOWNERS' ASSOCIATION, INC.

LAST DATE OF REVISION: November 16, 2020

I. AUTHORITY

This DESIGN STANDARDS document is promulgated pursuant to authority granted to the Architectural Control Committee (hereafter referred to as the "ACC") of the Eagle Watch Development (hereinafter referred to as the "Development") under section 5.04(b) of the First Amendment to and Restatement of Declaration of Covenants, Restrictions and Easements for Eagle Watch, recorded in Deed Book 732, pages 253 - 304, Cherokee County, Georgia records as amended (hereinafter referred to as the "Declaration"). The requirements of these Design Standards shall be in addition to and not in lieu of the requirements and provisions of the Declaration.

II. PURPOSE

Plans must be submitted to and approved by the ACC pursuant to the Declaration and these Design Standards for the sole and exclusive purpose of assuring that the construction and use of all structures within the Development are in conformity and harmony of external design with the existing structures and standards of the neighborhood.

III. DEFINITIONS

The words "Structure", "Owner" and "Lot" as used herein shall have the same meaning as such words have in the Declaration.

IV. SUBMISSION

- A. Two (2) sets of blueprints for the proposed house or modification must be submitted for approval on each lot. When applicable, the following must be submitted.
1. A site plan showing the location of all proposed and existing structures on the Lot including building setbacks, open space, driveways, walkways, and parking spaces, including the number thereof and all siltation and erosion control measures;
 2. A foundation plan;
 3. A floor plan;
 4. Exterior elevations of all proposed Structures and alterations to existing Structures, as such Structures will appear after all backfilling and landscaping are completed;
 5. Specifications of materials, color scheme, lighting scheme, and all other details affecting the exterior appearance of all proposed Structures and alterations to existing Structures; and
 6. Plans for landscaping and grading.
- B. Any change in the approved plans must be resubmitted for approval.
- C. The ACC may impose and collect a reasonable and appropriate fee to cover the cost of review of plans and of inspections performed.

V. CONSTRUCTION

- A. After approval by ACC of the plans for any Structure and prior to the commencement of any construction or grading on the Lot for which such plans were approved, the location of such Structure shall be clearly marked on as such lot. After such marking, the Owner or the Owner's contractors shall request in writing that a representative of the ACC inspect the proposed location of the Structure as marked on the Lot to determine whether such location is consistent with the guidelines for the location of buildings contained in Appendix "A" of these Design Standards. Within a reasonable time after receipt of such written request, the ACC shall: 1) inspect the proposed location of the Structure as marked on the Lot, and 2) notify the Owner in writing of its approval or disapproval of the proposed location of the Structure. In any case in which the ACC shall disapprove the location, or shall approve the same only as modified or upon specified conditions, such disapproval or qualified approval shall be accomplished by a statement of the grounds upon which such action is based. In any case the ACC shall, if requested, make reasonable efforts to assist and advise the applicant in order that an acceptable location may be marked and submitted for approval. In no event shall the Owner allow any grading or cutting of trees on the Lot prior to the approval of the proposed location by the ACC.
- B. During approved construction, all vehicles in any way connected with such construction shall enter the Lot or Lots under construction only by the driveway as approved in the plans and specifications by the ACC. In no event shall any driveways other than those approved by the ACC be constructed or used for temporary access to any Lot. All vehicles shall be parked at the Lot to avoid damage to trees, paving, curbs, gutters and any other improvements on the Lot. .
- C. All stumps and brush are to be removed from Lots prior to foundation construction, and no such stumps, brush or other debris shall be buried on such Lots. Construction debris shall be removed as often as necessary to keep the Lot and any Structure thereon attractive. Construction debris shall not be dumped in any area of the Development.
- D. Lots shall be graded in such a manner so as not to block any natural or manmade swales, ditches or drainage structures. Earth berms shall be installed on Lots by the Owner hereof when, in the opinion of the ACC, such Lots may erode due to topography. Whenever possible, Lots shall drain independently rather than to adjoining Lots.
- E. New home construction shall be completed, including approved landscape installation, within 180 days from the date of commencement on said lot. The date of commencement shall be defined as the first day in which land clearing on the lot is initiated. A time frame to complete exterior alterations to existing Structures shall be agreed upon by all parties prior to commencement.
- F. Any Owner or Occupant who submits an application to the ACC for approval of an exterior modification or improvement after such modification or improvement has already been constructed or installed in violation of the Declaration shall automatically be fined \$300.00 for each retroactive request. This fine is in addition to all other enforcement remedies available to the Association pursuant to the governing legal documents of Eagle Watch. Any modifications or improvements for which no request is submitted are subject to enforcement within the discretion of the Board.
- G. Upon approval of modifications by the ACC, each owner will receive a permit sign to be prominently displayed on the property while modifications are in progress listing the type of modification, the date of approval of the modification, the required completion date of the modification and the signature of the Association Manager or ACC Chairperson.

VI. DESIGN AND MAINTENANCE

A. Minimum House Size.

1. No single family residential Structure shall be located on any Lot unless said Structure shall meet or exceed the minimum square feet (heated living area) requirement established by the county zoning ordinance.
2. All lots are to be used exclusively for single-family use; however, business activity that is undetectable from outside the home is permissible in that it shall not constitute a nuisance.

B. Setbacks. Building area setbacks shall be within the recommended building lines indicated on the recorded subdivision plats of the development, provided however, that less restrictive setbacks may be approved by the ACC if an exception is requested when plans are submitted to the ACC for approval. In no event shall the setbacks be less than those required by the Cherokee County Subdivision Ordinance.

C. Houses on Slab. Unless otherwise approved by the ACC, all slab houses must be on "built-up" slab with a minimum of two steps, preferably three steps, up from the finished walkway to interior finished floor elevation.

D. Foundations. Subject to the approval of the ACC, the concrete block or other concrete finishes of all foundations must be finished in either brick, stone, or stucco, as applicable to the material of each individual house.

E. Chimney Stacks.

1. Chimney stacks on fronts or sides of houses may not be cantilevered and hung in the air, but must sit on foundations veneered with brick or stone as applicable to the material of each individual house. Drive-under houses must have a built-out shed roof at the side of the house that can function as a chimney base.
2. All chimney tops, whether brick, stucco, or siding chimneys must be topped with a metal shroud painted black.

F. Garages.

1. The orientation and location of garages should be determined in relation to topography, trees and building lines in conjunction with overall house approval. All houses must have attached garages and automatic closing devices for the garage door(s). Garage doors shall be coordinated with all structures on the lot, and materials and colors for such doors shall be specified on the plans submitted to the ACC for approval.
2. No garage may be converted to any use other than as a garage (including, without limitation, a conversion to use as enclosed living area, screened or glass porch or patio) without the prior written consent of the ACC.

G. Windows and Doors.

1. Silver-finish aluminum doors (including sliding doors) and windows shall not be approved. A factory-painted or anodized finish aluminum may be used, the color of which shall be specified in the plans submitted to the ACC for approval, and shall be subject to the color guidelines contained in Appendix "A" of these Design Standards.
2. All window treatments, including draperies, shades, blinds, etc., must be of neutral or white color on the side exposed to the exterior of the house.
3. Paper or paper products, newspapers, plastic or plastic sheeting, colored laminate or similar items will not be permitted as acceptable window treatments.

H. Exterior Colors and Materials. Exterior colors and materials on all speculation houses as well as contract houses shall be specified in the plans submitted to the ACC for approval. Such colors shall be subject to the Color and Material Guidelines contained in Appendix "A" of these Design Standards. Should a builder or homeowner wish to make changes in the scheduled color schemes or design their own colors, this may be done only by

consulting with the ACC in order to achieve a well-coordinated color scheme throughout the community.

I. Roof.

1. Roofing material and color shall be specified in the plans submitted to the ACC for approval, and shall be subject to the color and material guidelines contained in Appendix "A" of these Design Standards.
2. No plumbing or heating vent shall penetrate roof surfaces that face the street or street adjacent to the residential structures.
3. All roof stacks and flashing must be painted to blend with roof color.

J. Driveways and Sidewalks.

1. All vehicles must be parked within garages, driveways, or other paved parking areas. All houses must have a driveway. Driveways shall be constructed with concrete. However, other hard surface material may be considered by the ACC if an exception is requested when plans are submitted to the ACC for approval. Existing trees, topography and landscape planning should be taken into consideration and, where possible, driveways should curve.
2. As part of the Eagle Watch homeowners responsibility under the covenants to keep their property properly maintained and in good order, driveways must be maintained and in good repair. The following is the Eagle Watch Homeowners' Association standard for when repair might be mandated.
 - i. Any separation in the concrete which creates two distinctive pieces of concrete in which an elevation difference in the two pieces of the driveway exceeds more than ½ inch.
 - ii. Any driveway with one or more cracks in which the distance between the two pieces of concrete separated by the crack is ¼ inch or more for a continuous length of three feet or more.
 - iii. Any driveway with multiple large cracks that are clearly visible from the street.
 - iv. All driveways must remain clean and free of stains, mold and color changing agents that, in the opinion of the Board/ACC affect the appearance of the driveway.
3. Sidewalks shall be installed when the lot is bordered on either side by an existing walk, or when it is obvious that the lack of a sidewalk will eventually cause a break in the continuation of a walk.

K. Landscaping.

1. A written plan of the landscaping must be submitted to the ACC prior to installation of any materials; this plan should include a drawing to show location, variety and size of all plant materials, as well as location and description of all "hardscape" items such as fences, walls, rocks and so forth. Landscaping shall be completed in accordance with approved plans not later than thirty (30) days after: (1) final inspection by the Cherokee County building inspector, or (2) occupancy of residential structure, whichever is earlier.
2. In the case of existing homes, proposed changes and additions in landscaping must be submitted in detail for ACC review. This includes the addition of all "hardscape" items such as fences, walls, rocks, and so forth. A time frame for completion shall be agreed upon between the ACC and the homeowner.
3. Artificial flowers may not be planted in any area of the yard that is visible from the street.
4. Rocks as Mulch/Ground Cover:
 - a. Rocks as mulch/ground cover can only be used from the base of the house and cannot extend more than ten uninterrupted feet (cannot be separated by sidewalks or paths) in any direction.

- b. White rocks, artificial rocks, pea gravel, gray granite or surge stones, or polished stones of any type cannot be used.
 - c. Rocks should be uniform in type/color and be not less than 1" or more than 3" in diameter.
 - d. Homeowner must submit a detailed drawing or picture of the landscape plan and a sample of the rock to be used when submitting a modification request.
- 5. Except for seasonal decorative lights, all exterior lighting must be approved by the ACC before installation.
- 6. Three types of sod are appropriate for the Eagle Watch Community: Zoysia, Bermuda or Fescue. Any of these three types of sod may be installed for a lawn without prior ACC approval. All lawns must be maintained reasonably free of weeds and secondary grasses and each type of grass should be exclusive of any other type of grass when installed.
- 7. All landscape beds should be reasonably free of weeds and secondary grasses.
- 8. Black or dark green metal landscape borders are permitted provided the borders extend no more than two (2) inches above ground level. Plastic landscape borders are not permitted.
- L. Pools and Spa Equipment.
 - 1. Plans for proposed swimming pools, hot tubs, surrounding decks, fencing and screening must be submitted for approval before any clearing, grading or construction is commenced.
 - 2. There will not be any above ground pools approved.
- M. Antennae.
 - 1. No exterior television or radio antennae or satellite dish greater than one (1) meter in diameter or receiver of any sort shall be placed, allowed or maintained upon any portion of a Structure or Lot without prior written approval by the ACC. No antennae shall be installed or used for the purpose of transmitting electronic signals.
 - 2. Satellite dishes one (1) meter or less in diameter may be installed without seeking ACC approval provided they are placed in a screened location so they are not visible from any roadway or neighboring property. Requests for exceptions to this requirement will be granted only if it can be demonstrated that such placement would impair reception.
- N. Mailboxes.
 - 1. All mailboxes must be a black standard U.S. Postal Office mailbox, size 1 1/2.
 - 2. All mailboxes must be mounted on the standard post as approved by the ACC.
- O. Recreational Equipment.
 - 1. Basketball backboards are acceptable subject to ACC approval of the location and colors of both sides of said backboard.
 - 2. Recreational and playground equipment shall be placed or installed only on the rear of a lot. Before erecting any type of recreational equipment, prior written permission is needed from the ACC.
- P. Prefabricated Structures.
 - 1. Unattached structures including, but not limited to; gazebos, fences, pools, ponds, tree houses, decks, trampolines, and children's play structures must be located in the rear of the property and must have ACC approval. No shed or storage structures will be approved.
 - 2. Prefabricated or factory built structures (sheds) shall not be permitted within the Development, and such manufactured units shall not be employed as elements in the construction of residential structures affixed to real property within the Development except by express written consent of the ACC.

Q. Signs.

1. All signs are subject to section 6.08 of the Declaration.
 2. Unless specifically enumerated in this Design Standard or in the Declaration, signs are not permitted.
 3. One(1) temporary sign (i.e., garage, lawn sales, etc.) may be installed on the homeowner's lot no sooner than 24 hours in advance of a sale. Signs must be removed promptly after a sale has ended.
 4. No sign may be placed on any common property of the Development without the prior approval of the ACC. All such approved signs must display the "EWHO A APPROVED" seal showing the date of ACC approval. Any sign placed on the common property without the approval and seal will be removed and disposed of.
 5. One (1) "For Sale" sign may be placed in the front yard of a residence only. No "For Sale" sign may be placed in a rear yard. Directional signs for properties listed for sale may only be placed to advertise open houses, may only be installed 24 hours before an open house and must be immediately removed upon completion of the open house.
 6. Residents' security system signs must be the Eagle Watch approved style and posted only on the mailbox post.
 7. One sign endorsing a political candidate may be placed in the front yard of a residence. The candidate the sign represents must be standing for election to an office that represents the voting precinct for Eagle Watch. A sign may be no larger than 18" x 24" and must be professionally produced. No signs for political issues or banners, flags or other political advertisements are permitted. A candidate sign may be placed no sooner than 30 days prior to a designated election polling date and must be removed within 24 hours of the end of polling for said election. Any violation of this Design Standards will result in an immediate fine of \$100.00 with an additional fine of \$25.00 per day until the issue is corrected.
 8. Contractor signs will only be permitted on your front yard once the ACC has approved your modification request. It can only be installed at the time work has commenced and must be removed at the completion of the project.
- R. Statuary. The location of exterior sculpture, fountains, birdbaths and similar items must be approved by the ACC before installation. Guidelines for consideration of statuary in the front and side yard are:
1. One such item may be permitted where such item is appropriate to the approved scheme of landscaping used by the Homeowner.
 2. Groupings of such items are not permitted.
 3. The setting of such statuary shall be located as close as possible to the residence as an integral part of the landscape plantings (i.e. a part of shrubs, plants, etc.) and not as an isolated decorative fixture.
 4. The type, size, coloration, height and lighting shall be factors to be considered in determining the appropriateness of the item.
- S. Decorative Flags. Ornamental flags, school flags and official country or official state flags may be employed to compliment homes within the community. Other flags that, in the opinion of the ACC, are obtrusive shall not be installed. Flag poles to display the United States flag may be installed in the yard with ACC approval as part of a comprehensive landscape plan. Only United States flags may be displayed on a flag pole in the yard. The flag displayed on a flag pole in the yard may be no larger than 5' x 8'. The flag pole in the yard may be no taller than 22'. All displays of U.S. flags should follow the codes set forth in Title IV of the United States Code. Only one flag is permitted.
- T. Exterior Maintenance.

1. Each Lot and home must be kept in good repair, which includes exterior painting and/or pressure washing as needed.
 2. Yards are to be properly sodded, seeded, mowed, and watered. Trees, hedges, and bushes are to be trimmed and pruned on a regular basis.
 3. All vacant lots shall be kept clean and free of debris.
- U. Trees. No live tree having a diameter of three inches or more (measured from a point two feet above ground level) shall be removed from any lot without the prior written approval of the ACC. Dead trees removed should be replaced.
- V. Possession and Placement of Park Benches: One (1) park bench may be permitted in the front or side yards of any residence within the confines of the Eagle Watch Subdivision subject to the following restrictions:
1. Benches must be constructed of wooden slats with or without wrought iron end caps and must be stained, using acceptable wood colors, and varnished. Any other bench type is not allowed.
 2. Groupings of several benches will not be permitted. This design does not affect porch furniture.
 3. All placement of benches must be appropriate to the scheme of landscaping used by the homeowner; that is, benches should be a part of the landscape setting; surrounded by plant material or trees to form a park like setting.
 4. A homeowner who wishes to place a park bench in his or her front or side yards following the above guidelines does not need Architectural Control Committee (ACC) approval.
 5. Wrought iron benches may be allowed in the front or side yards, but must have advance approval by the ACC.
 6. Other types of benches, such as concrete benches or Adirondack furniture, will not be allowed in the front or side yards of a home.
 7. Benches must be maintained in good repair and appearance at all times. Benches that have weathered must be restained and revarnished. Any bench that shows signs of weathering and is not properly maintained will be ordered removed until the bench is properly stained and varnished.
- W. Vinyl Siding: Vinyl Lap Siding has been approved as an acceptable building material when constructing or reconstructing or renovating a home within the confines of the Eagle Watch Subdivision.
1. Only Premium Grade material will be allowed and must have a minimum thickness of 0.042 inches.
 2. Vinyl siding color standards remain the same as those approved for exterior painting.
 3. All vinyl siding additions must be submitted to the Architectural Control Committee (ACC) for modification approval.
- X. Vehicles and Vehicle Storage.
1. Any vehicle that is not registered, insured, capable of being driven at highway speeds and driven on a regular basis (a minimum of once a week) may not be kept in the driveway or yard of any home nor may it be parked on the street front of any home. Any such vehicle must be kept in a garage or at a Location outside of the Eagle Watch community.
 2. Vehicles may only be parked in paved parking areas.
 3. Any covered vehicle in a driveway may only be covered by a neutral colored cover specifically made for use with the type of vehicle. All vehicle covers must be kept in good condition free of holes, tears, variances in color, etc.
 4. Any towed vehicle, boat, recreational vehicle, motor home, mobile home, commercial vehicle, or like equipment may not be stored in the community, except in a garage, for periods longer than forty-eight (48) hours. Recreational vehicles (RV's) which are

owned by people visiting Eagle Watch residents may park their vehicle for longer than the forty-eight (48) hour period but not longer than ten (10) days once the owners have obtained a permit from the Eagle Watch Property Manager. Such permit must contain the name(s) of the RV owners including proof of identification, the registration number of the vehicle, the name(s) and address of the Eagle Watch residents being visited and the duration of the visit. Such permit must be posted conspicuously on the back of the RV. The RV may be parked in the driveway of the Eagle Watch resident or in the parking lot of the Eagle Watch amenity areas. No more than two permits per household per year may be issued. Commercial vehicles are defined as: a. any vehicle which has lettering or graphics designed to promote a business or commercial activity; b. any vehicle which has equipment on the vehicle used in a business or commercial activity.

5. All garage doors should be kept closed at all times except when entering or leaving the garage.

Y. Clotheslines, Garbage Cans, Woodpiles, Etc.

1. All clotheslines, woodpiles, equipment and other similar items are only to be kept in the rear yards and must be screened and concealed from your neighbors' view and street view. Clotheslines are not permitted.
2. Garbage cans are to be kept inside the garage except on the evening before pick up or on the morning of pick up unless they are screened from view in an outside location. Any structure constructed to screen a garbage can must be approved by the Architectural Control Committee prior to construction.
3. Dumpsters and roll-off waste containers will only be permitted for use during construction projects. Permission must be obtained from the Community Association Manager for a dumpster or roll-off waste container prior to delivery of the dumpster or roll-off waste container. No dumpster or roll-off waste container will be permitted for more than 10 consecutive days. No homeowner will be given permission for a dumpster or roll-off waste container more than twice per calendar year; exceptions will be granted on a case by case basis for plumbing/water damage, fire damage and storm damage.

Z. Pets. Pets are not permitted at any amenities facilities, including the community parks.

APPENDIX "A"
TO DESIGN STANDARDS
COLOR AND MATERIAL GUIDELINES

The exterior materials of all structures on all Lots shall be harmonious and complementary.

A. MATERIALS - Recommended materials include:

- (1) Natural wood lap siding; hard board lap siding.
- (2) Brick - All brick shall be in subdued colors and samples must be submitted for approval. Old used brick will be accepted in special areas, as will be the painting of brick. No weeping or black mortar.
- (3) Stone - Stone shall be Tennessee Field Stone with gray mortar (no black mortar).
- (4) Stucco - Stucco is a specialized house finish. Stucco houses shall only be approved by special request and only after the ACC agrees that stucco fits the streetscape and overall community standards.

Visible stucco on foundation walls shall not exceed 36" in height. All foundations above must be covered and/or veneered in the primary material of the house exterior. All such foundation stucco is to be painted to match exterior of house.

- (5) Natural plywood siding with well detailed edges and joints.
- (6) Natural Cedar shakes or shingles.

B. COLORS

- (1) The exterior colors of the walls and roof of a single-family residential structure shall be compatible and harmonious with the colors of nearby single-family residential structures. Highly reflective and bright colors shall be prohibited.
- (2) All primary colors, which are the large areas of painted walls, shall be subdued earth tone colors.
- (3) Secondary colors shall be compatible with the primary colors and be limited to architectural details such as fascia, frames, shutters, front door, etc.
- (4) The primary exterior color of adjacent residential structures shall not be the same.
- (5) All proposed exterior repainting plans must be submitted to the ACC for consideration and approval.

APPENDIX "B"
TO DESIGN STANDARDS
FENCING AND SCREENING GUIDELINES

Fencing will be permitted on lots provided that all fencing is approved by the Architectural Control Committee for materials, placement, colors, design, etc. prior to installation. All proposed fencing must meet the following minimum guidelines:

A. ACCEPTABLE FENCE TYPES/MATERIALS/PLACEMENT

- (1) Two or three rail split-rail cedar wood fences (welded-wire backing for pets), natural in color
- (2) Three rail board fence commonly referred to as a farm fence, natural in color
- (3) Wrought iron or aluminum styled to appear like wrought iron
- (4) Fences shall be a maximum of 6 feet above grade in height
- (5) Fences shall not start before the back corners of any house unless approved by the ACC; screening may be required to inhibit view of the fence from the street
- (6) Fences shall complement the design, texture and color of all structures on the same Lot
- (7) Fences shall not attract attention as distinct architectural elements
- (8) Woven metal or chain link fences shall not be permitted
- (9) No fence which completely blocks vision shall be placed or constructed except where the need for privacy is evident and only upon approval by the ACC
- (10) A fence may be stained with the following stipulations:
 - a. Only fences that are not attached to neighboring fences may be stained. No fence may be stained that connects to any other neighboring fence.
 - b. Only semi-transparent stain may be used to stain a fence. Semi-solid or solid stains are not permitted.
 - c. All fence surfaces must be the same color.
 - d. Wood must be pressure treated pine or cedar. It is the responsibility of the property owner to ensure surfaces are properly prepared to accept stain in a uniform fashion.
 - e. Only two stain colors are approved for staining a fence in Eagle Watch:
 1. Sherwin Williams: SuperDeck Waterborne Semi-Transparent Stain – Charwood, SW 3542
 2. Sherwin Williams: SuperDeck Waterborne Semi-Transparent Stain – Hill Country, SW 3532

Screening may be used within the Development to define private spaces or to attract or divert attention to or from particular views.

A. OBJECTS TO BE SCREENED - Screening is to be used in connection with the following:

- (1) free standing utility apparatus, such as transformers, and switching equipment;
- (2) exterior, ground-level machinery, such as air conditioning and heating equipment;
- (3) outside storage and service areas for equipment and supplies; and
- (4) refuse containers and related storage areas.

B. METHODS OF SCREENING - Subject to the approval of the ACC, the following methods of screening may be used.

- (1) Earth Banks and Berms - banks and berms shall:
 - a. have a maximum slope of 2:1 and
 - b. be covered with an acceptable grass
- (2) Planting screens, hedges, specie and layout design to be approved by ACC.
- (3) Fences and walls - Fences and walls shall:
 - a. complement the design, texture and color of all structures on the same Lot;
 - b. be a maximum of 6 feet above grade in height;
 - c. decrease in height and increase in transparency with increasing distance from a structure so as not to obstruct views;
 - d. include planting as an integral component; and
 - e. not attract attention as distinct architectural elements.
 - f. not completely block any Homeowner's vision.
 - g. not be woven metal or chain link.

APPENDIX “C”
TO DESIGN STANDARDS
BRADFORD PEAR TREE REPLACEMENT

Many streets in Eagle Watch have Bradford Pears as the “STREET TREE”. These “STREET TREES” must be replaced if removed for any reason. Bradford Pear trees are very susceptible to damage and must be damaged before they can be removed. The Homeowner must obtain advance ACC approval for Bradford Pear tree removal and replacement. The ACC determines if the extent of damage warrants removal and determines appropriate replacement.

The Homeowner must also replace any Bradford Pear, which has fallen or has been destroyed, by weather or any other act, and obtain ACC approval of the replacement variety.

PROCESS:

1. The Homeowner determines that a Bradford Pear tree, on their property, needs removal.
2. The Homeowner submits a Modification Request to the Eagle Watch Property Manager.
3. The Architectural Control Committee (ACC) reviews the Request and inspects the home site and the tree.
4. If the ACC approves the removal, the ACC will identify the replacement tree as Large or Small and will recommend the specific variety.
5. The homeowner will remove the tree and the stump and notify the Property Manager of the specific variety to be planted within 30 days.
6. The homeowner will have the option of planting the ACC recommended variety, or any of the named varieties within the specified “Size”.

In rare cases the ACC may waive replacement based on review of the home site.

The ACC recommends that trees be planted from October 1st through May 30th to maximize survivability.

APPENDIX “D”
TO DESIGN STANDARDS
BRADFORD PEAR TREE REPLACEMENT

The ACC approved trees for Bradford Pear Tree Replacement, are listed as follows:

Size	Name	“Variety”/Fall Leaf or Blossom Color	Height / Width in Feet	Comments	Nursery Stock (Minimum Size)
Large	Pin Oak (<i>Quercus palustris</i>)	Yellow then Red Fall Color leaves	50-60/25-40	Deciduous, Moderate to fast growing, leaves brown in the fall and hang on in winter. Full sun.	10 to 12 ft, 1 ½-2”, B&B
	Sugar Maple (<i>Acer saccharum</i>)	Yellow to Red Fall Color leaves	50-60/25-40	Deciduous, Medium to Fast growing. Shade tolerant	10 to 12 ft, 1 ½-2”, B&B
	Zelkova (<i>Zelkova serrata</i>)	“Village Green” / Yellow to Dark Red Fall Color leaves	40-60/30-40	Deciduous, Fast growing. Full sun.	10 to 12 ft, 1 ½-2”, B&B
Small	Japanese Magnolia (<i>Magnolia soulangiana</i>)	“Saucer”/White or Pink	20-30/15-20	Deciduous, Medium growing. Full sun or partial shade.	15 Gal., 1 ½-2”
	Crepe Myrtle (Tree Type) (<i>Lagerstroemia indica</i>)	1. “Natchez”/White 2. “Muskogee or Wichita”/Lavender 3. “Choctaw”/Bright Pink 4. “Tuskegee or Tuscarora”/Dark Pink 5. “Carolina Beauty”/Dark Red 6. “Watermelon Red”/Red	15-30/10-15	Deciduous, Fast growing. Full sun. Be certain it is the “Tree Type”	15 Gal., 1 ½-2”
	Flowering Dogwood (<i>Cornus florida</i>)	“White Cloud” or “Constellation” / White only	20-30/15-20	Deciduous, slow growing. State flower of North Carolina & Virginia. Full sun or light shade.	15 Gal., 1 ½-2”
	Kousa Dogwood (<i>Cornus kousa</i>)	“Kousa” / White	15-20/15-20	Deciduous, slow growing. Can be large shrub or pruned to tree shape. Full sun.	15 Gal., 1 ½-2”
	Magnolia (<i>Magnolia Grandiflora</i>)	“Little Gem”/ White	15-20/8-10	Evergreen, Medium growing. Full sun or partial shade. Be certain the seller certifies the variety “Little Gem”.	15 Gal., 1 ½-2”